Certificate No: **2609171422344610**
TL Project No: **26-0652**

TÜRK LOYDU

TYPE APPROVAL CERTIFICATE

This is to certify that the

Ejectors

Manufacturer : **SOYTEKNİK ENDÜSTRİYEL MALZEMELERİ SANAYİ VE TİCARET ANONİM ŞİRKETİ**

Address : **İMES OSB 9. Cadde No: 37 Dilovası/Kocaeli**

Product Type : **High Pressure Ejector**

Reference Rule : **TL Rules, Part E, Chapter 103 - Metallic Materials, Special Materials for Naval Ships, 01.01.2022**

TL Rules, Part E, Chapter 107 - Naval Ship Technology, Ship Operation Installations and Auxiliary System, 01.01.2022

TL Rules, Part A, Chapter 2, Material, 01.07.2024

TL Rules, Part B, Chapter 4 - Machinery, 01.01.2026

Subject to the conditions referred to in the following pages, this certificate is valid until **26.05.2027**
Surveyor: **Uğur MALKOÇ**

Issued at **İstanbul** on **19.10.2026**

This document is electronically signed and does not require a manual signature

Click here for the verification website

Emrah SÖĞÜTÇÜ
New Building Division Manager
TÜRK LOYDU

Expire Date of Previous Certificate:

For Information Only

This certificate is subject to terms and conditions described below:
Any significant change in design or construction may render this Certificate invalid. Certificate is not valid for equipment, the design or manufacture of which has been varied or modified from the specimen tested. This certificate is not valid for products without marking above mentioned. The manufacturer should notify TÜRK LOYDU of any modifications or changes to equipment in order to obtain valid certificate. This certificate shows that tested specimens as representative of the product complies of the TÜRK LOYDU rules, and relevant international instruments that apply to it.

Product	**: Ejectors**
Type of Product	**: High Pressure Ejector**
Approval No / Date	**: PAE-EPAS/011852/21-2372/VA, 16.02.2022** **PAE-EPAS/024299/26-0652/FP, 18.03.2026**
Material	**: Rg5- Bronze**
Performed Tests	**: Quality audit** **Visual Inspections** **Material tests** **Dimensional control acc. to approval drawings** **Performance tests** **Hydrostatic pressure tests**
Test Place	**: Soyteknik Endüstriyel Malz. San. Tic. A.Ş. Dilovası / Kocaeli**
Last Inspection Date	**: 16.06.2026**
Others	**: Product details are provided in Annex 1, consisting of 9 pages.**
Surveyor Remarks	**: This certificate supersedes 220527165435797 numbered certificate.**
Application/Limitation	**: 1- All gasket and parts of valves not to be contain asbestos.** **2- The ejectors are to be installed according to manufacturer's instructions and Türk Loydu rules.**
Approval Conditions	**: Body: RG5 / GG25 / G-AlSi7Mg / G-AlMg3Si / G-AlMg5Si** **Ball: PE** **Bolt: AISI 316** **Bonnet: GG25 / G-AlSi7Mg / G-AlMg3Si / G-AlMg5Si** **O-ring holders ring: RG5 / G-AlSi7Mg / G-AlMg3Si / G-AlMg5Si** **O-ring:NBR** **Strainer (16 mesh): AISI 316** **Strainer holder ring: RG5 / G-AlSi7Mg / G-AlMg3Si / G-AlMg5Si**

For Information Only

ANNEX - 1

1/2" x 2" x 2 1/2" HIGH PRESSURE EJECTOR							
DRIVING WATER PRESSURE	SUCTION LIFT	DRIVING WATER CONSUMPTION	DELIVERY HEAD				SUCTION CAPACITY
			5M	10M	15M	20M	
3 BAR	3M	5,9 m³/h		6 m³/h			
4 BAR		7,3 m³/h	10,4 m³/h	3,3 m³/h			
5 BAR		8,6 m³/h	12 m³/h	7,3 m³/h	3,3 m³/h		
6 BAR		9,4 m³/h	13 m³/h	8 m³/h	1,2 m³/h		
7 BAR		10,3 m³/h	13 m³/h	12 m³/h	5 m³/h		
8 BAR		10,9 m³/h	13 m³/h	12 m³/h	8,1 m³/h		
3 BAR	5M	5,9 m³/h		3,5 m³/h			
4 BAR		7,3 m³/h	8,1 m³/h	4,8 m³/h			
5 BAR		8,6 m³/h	9,2 m³/h	5,7 m³/h	1,3 m³/h		
6 BAR		9,4 m³/h	10,3 m³/h	9,4 m³/h	2,3 m³/h		
7 BAR		10,3 m³/h	10,3 m³/h	10,3 m³/h	5,8 m³/h		
8 BAR		10,9 m³/h	10,3 m³/h	10,3 m³/h	8,1 m³/h		
3 BAR	7M	5,9 m³/h					
4 BAR		7,3 m³/h	5,8 m³/h	1,6 m³/h			
5 BAR		8,6 m³/h	6 m³/h	3,5 m³/h			
6 BAR		9,4 m³/h	7 m³/h	7 m³/h	0,7 m³/h		
7 BAR		10,3 m³/h	7 m³/h	7 m³/h	3,2 m³/h		
8 BAR		10,9 m³/h	7 m³/h	7 m³/h	5 m³/h		
3 BAR	9M	5,9 m³/h					
4 BAR		7,3 m³/h	2,5 m³/h				
5 BAR		8,6 m³/h	3 m³/h				
6 BAR		9,4 m³/h	5 m³/h				
7 BAR		10,3 m³/h	5 m³/h	2,5 m³/h			
8 BAR		10,9 m³/h	5 m³/h	3,2 m³/h			

İSKİ 1962 İSTANBUL For Information Only

2" x 3" x 3" HIGH PRESSURE EJECTOR							
DRIVING WATER PRESSURE	SUCTION LIFT	DRIVING WATER CONSUMPTION	DELIVERY HEAD / SUCTION CAPACITY				SUCTION CAPACITY
			5M	10M	15M	20M	
3 BAR	3M	27,5 m³/h	17,8 m³/h				
4 BAR		30,5 m³/h	30,8 m³/h	8 m³/h			
5 BAR		32 m³/h	36,3 m³/h	18,7 m³/h			
6 BAR		33,5 m³/h	36,3 m³/h	28,9 m³/h	12,3 m³/h		
7 BAR		35 m³/h	36,3 m³/h	36,3 m³/h	25,8 m³/h	4,1 m³/h	
8 BAR		37 m³/h	36,3 m³/h	36,3 m³/h	31,3 m³/h	14,8 m³/h	
3 BAR	5M	27,5 m³/h	10,5 m³/h				
4 BAR		30,5 m³/h	20,9 m³/h	3,2 m³/h			
5 BAR		32 m³/h	27,8 m³/h	13,2 m³/h			
6 BAR		33,5 m³/h	27,8 m³/h	25,4 m³/h	6,8 m³/h		
7 BAR		35 m³/h	27,8 m³/h	27,8 m³/h	17,2 m³/h		
8 BAR		37 m³/h	27,8 m³/h	27,8 m³/h	27,8 m³/h	9,2 m³/h	
3 BAR	7M	27,5 m³/h	6,8 m³/h				
4 BAR		30,5 m³/h	14,8 m³/h				
5 BAR		32 m³/h	22,8 m³/h	9,8 m³/h			
6 BAR		33,5 m³/h	22,8 m³/h	17,8 m³/h			
7 BAR		35 m³/h	22,8 m³/h	22,8 m³/h	13,5 m³/h		
8 BAR		37 m³/h	22,8 m³/h	22,8 m³/h	18,5 m³/h	8,6 m³/h	
3 BAR	9M	27,5 m³/h					
4 BAR		30,5 m³/h	8,6 m³/h				
5 BAR		32 m³/h	11,1 m³/h				
6 BAR		33,5 m³/h	12,9 m³/h	7,4 m³/h			
7 BAR		35 m³/h	12,9 m³/h	11,7 m³/h			
8 BAR		37 m³/h	12,9 m³/h	12,9 m³/h	9,2 m³/h		

2 1/2" x 2 1/2" x 3" HIGH PRESSURE EJECTOR							
DRIVING WATER PRESSURE	SUCTION LIFT	DRIVING WATER CONSUMPTION	DELIVERY HEAD / SUCTION CAPACITY				SUCTION CAPACITY
			5M	10M	15M	20M	
3 BAR	3M	30,5 m³/h	26,7 m³/h				
4 BAR		33,5 m³/h	32,8 m³/h	19,9 m³/h			
5 BAR		35 m³/h	42,4 m³/h	29,5 m³/h			
6 BAR		36,5 m³/h	49,7 m³/h	20,5 m³/h	9 m³/h		
7 BAR		38 m³/h	49,7 m³/h	34 m³/h	27,9 m³/h		
8 BAR		40 m³/h	49,7 m³/h	43,9 m³/h	27,9 m³/h		
3 BAR	5M	30,5 m³/h	15 m³/h				
4 BAR		33,5 m³/h	28,4 m³/h	13,5 m³/h			
5 BAR		35 m³/h	34,7 m³/h	23 m³/h			
6 BAR		36,5 m³/h	39,6 m³/h	13,8 m³/h			
7 BAR		38 m³/h	39,6 m³/h	26 m³/h	21,1 m³/h		
8 BAR		40 m³/h	39,6 m³/h	35,9 m³/h	21,1 m³/h		
3 BAR	7M	30,5 m³/h	9,7 m³/h				
4 BAR		33,5 m³/h	22,8 m³/h				
5 BAR		35 m³/h	26 m³/h	18,5 m³/h			
6 BAR		36,5 m³/h	33,3 m³/h	26 m³/h			
7 BAR		38 m³/h	33,3 m³/h	33,3 m³/h	19,3 m³/h		
8 BAR		40 m³/h	33,3 m³/h	26,8 m³/h	12,8 m³/h		
3 BAR	9M	30,5 m³/h					
4 BAR		33,5 m³/h	10,2 m³/h				
5 BAR		35 m³/h	14,7 m³/h	4,7 m³/h			
6 BAR		36,5 m³/h	18,7 m³/h	10,6 m³/h			
7 BAR		38 m³/h	18,7 m³/h	18,7 m³/h	5,3 m³/h		
8 BAR		40 m³/h	18,7 m³/h	18,7 m³/h	10,6 m³/h		

İSTANBUL 1962 For Information Only

3" x 4" x 4" HIGH PRESSURE EJECTOR							
DRIVING WATER PRESSURE	SUCTION LIFT	DRIVING WATER CONSUMPTION	DELIVERY HEAD / SUCTION CAPACITY				SUCTION CAPACITY
			5M	10M	15M	20M	
3 BAR	3M	42 m³/h	30,1 m³/h				
4 BAR		48 m³/h	55,9 m³/h	7,1 m³/h			
5 BAR		51,6 m³/h	62 m³/h	38,7 m³/h			
6 BAR		55,8 m³/h	71 m³/h	16,8 m³/h	7,1 m³/h		
7 BAR		58 m³/h	71 m³/h	42,6 m³/h	29 m³/h		
8 BAR		61 m³/h	71 m³/h	64,5 m³/h	29 m³/h		
3 BAR	5M	42 m³/h	16,6 m³/h				
4 BAR		48 m³/h	47,3 m³/h	3,1 m³/h			
5 BAR		51,6 m³/h	50,4 m³/h	19,6 m³/h			
6 BAR		55,8 m³/h	57,3 m³/h	6,2 m³/h			
7 BAR		58 m³/h	57,3 m³/h	28,2 m³/h	12 m³/h		
8 BAR		61 m³/h	57,3 m³/h	49,5 m³/h	12 m³/h		
3 BAR	7M	42 m³/h	5,3 m³/h				
4 BAR		48 m³/h	32,5 m³/h				
5 BAR		51,6 m³/h	32,9 m³/h	11,2 m³/h			
6 BAR		55,8 m³/h	44,8 m³/h	14,7 m³/h			
7 BAR		58 m³/h	44,8 m³/h	37,8 m³/h	4 m³/h		
8 BAR		61 m³/h	44,8 m³/h	37,8 m³/h	4 m³/h		
3 BAR	9M	42 m³/h					
4 BAR		48 m³/h	8,2 m³/h				
5 BAR		51,6 m³/h	16 m³/h	3 m³/h			
6 BAR		55,8 m³/h	21,6 m³/h	14,1 m³/h			
7 BAR		58 m³/h	21,6 m³/h	21,6 m³/h			
8 BAR		61 m³/h	21,6 m³/h	21,6 m³/h	13,6 m³/h		

İSTANBUL 1962 For Information Only

4" x 5" x 5" HIGH PRESSURE EJECTOR							
DRIVING WATER PRESSURE	SUCTION LIFT	DRIVING WATER CONSUMPTION	DELIVERY HEAD / SUCTION CAPACITY				SUCTION CAPACITY
			5M	10M	15M	20M	
3 BAR	3M	57 m³/h	36,9 m³/h				
4 BAR		64,8 m³/h	71,5 m³/h	33,8 m³/h			
5 BAR		75,6 m³/h	78,3 m³/h	43,7 m³/h			
6 BAR		79,8 m³/h	90,5 m³/h	41,8 m³/h	26,1 m³/h		
7 BAR		82,8 m³/h	90,5 m³/h	61,5 m³/h	48 m³/h	16 m³/h	
8 BAR		88,2 m³/h	90,5 m³/h	83 m³/h	48 m³/h	16 m³/h	
3 BAR	5M	57 m³/h	27,7 m³/h				
4 BAR		64,8 m³/h	65,4 m³/h	15,7 m³/h			
5 BAR		75,6 m³/h	63,3 m³/h	36,2 m³/h			
6 BAR		79,8 m³/h	76,3 m³/h	28,9 m³/h	17,2 m³/h		
7 BAR		82,8 m³/h	76,3 m³/h	49,8 m³/h	41,8 m³/h	5,5 m³/h	
8 BAR		88,2 m³/h	76,3 m³/h	68,5 m³/h	41,8 m³/h	5,5 m³/h	
3 BAR	7M	57 m³/h	8 m³/h				
4 BAR		64,8 m³/h	39,5 m³/h	2,5 m³/h			
5 BAR		75,6 m³/h	48,4 m³/h	24,6 m³/h			
6 BAR		79,8 m³/h	58,1 m³/h	5,5 m³/h	2,1 m³/h		
7 BAR		82,8 m³/h	56,2 m³/h	27 m³/h	28 m³/h		
8 BAR		88,2 m³/h	56,2 m³/h	51,8 m³/h	28 m³/h		
3 BAR	9M	57 m³/h					
4 BAR		64,8 m³/h	28,2 m³/h				
5 BAR		75,6 m³/h	28,6 m³/h	15,1 m³/h			
6 BAR		79,8 m³/h	36,5 m³/h	2 m³/h	8,3 m³/h		
7 BAR		82,8 m³/h	36,5 m³/h	36,5 m³/h	8,3 m³/h		
8 BAR		88,2 m³/h	36,5 m³/h	22,8 m³/h	8,3 m³/h		

5" x 6" x 6" HIGH PRESSURE EJECTOR							
DRIVING WATER PRESSURE	SUCTION LIFT	DRIVING WATER CONSUMPTION	DELIVERY HEAD / SUCTION CAPACITY				SUCTION CAPACITY
			5M	10M	15M	20M	
3 BAR	3M	91,8 m³/h	83 m³/h	9,2 m³/h			
4 BAR		102 m³/h	93,5 m³/h	48,9 m³/h			
5 BAR		112,2 m³/h	114 m³/h	38,1 m³/h	23,4 m³/h		
6 BAR		123,6 m³/h	114 m³/h	85 m³/h	15,4 m³/h	8,9 m³/h	
7 BAR		130,2 m³/h	114 m³/h	64,5 m³/h	49,8 m³/h	8,9 m³/h	
8 BAR		141 m³/h	114 m³/h	98,4 m³/h	49,8 m³/h	8,9 m³/h	
3 BAR	5M	91,8 m³/h	60,9 m³/h				
4 BAR		102 m³/h	86,1 m³/h	41,2 m³/h			
5 BAR		112,2 m³/h	81,1 m³/h	20,6 m³/h	14,8 m³/h		
6 BAR		123,6 m³/h	98,2 m³/h	69,5 m³/h	6,2 m³/h		
7 BAR		130,2 m³/h	98,2 m³/h	54,8 m³/h	45,5 m³/h		
8 BAR		141 m³/h	98,2 m³/h	86,1 m³/h	45,5 m³/h		
3 BAR	7M	91,8 m³/h	25 m³/h				
4 BAR		102 m³/h	65,8 m³/h	31 m³/h			
5 BAR		112,2 m³/h	65,2 m³/h	6,2 m³/h	3,1 m³/h		
6 BAR		123,6 m³/h	76,4 m³/h	54 m³/h	44,3 m³/h		
7 BAR		130,2 m³/h	76,4 m³/h	44,3 m³/h	40 m³/h		
8 BAR		141 m³/h	76,4 m³/h	62,1 m³/h	40 m³/h		
3 BAR	9M	91,8 m³/h	20,9 m³/h				
4 BAR		102 m³/h	39,4 m³/h	9,8 m³/h			
5 BAR		112,2 m³/h	39,4 m³/h	31,4 m³/h			
6 BAR		123,6 m³/h	46,4 m³/h	28,3 m³/h	35,7 m³/h		
7 BAR		130,2 m³/h	46,4 m³/h	46,4 m³/h	36,3 m³/h		
8 BAR		141 m³/h	46,4 m³/h	46,4 m³/h	36,3 m³/h		

3" x 3" x 4" LOW PRESSURE EJECTOR							
DRIVING WATER PRESSURE	SUCTION LIFT	DRIVING WATER CONSUMPTION	DELIVERY HEAD / SUCTION CAPACITY				SUCTION CAPACITY
			5M	10M	15M	20M	
1,5 BAR	3M	42,6 m³/h	6,5 m³/h				
2 BAR		46,2 m³/h	19,4 m³/h				
2,5 BAR		51,4 m³/h	28,3 m³/h	6,8 m³/h			
3 BAR		54,6 m³/h	28,3 m³/h	16 m³/h			
3,5 BAR		56,4 m³/h	28,3 m³/h	24 m³/h	7,4 m³/h		
4 BAR		58,2 m³/h	28,3 m³/h	15,7 m³/h	8,9 m³/h		
4,5 BAR		59,7 m³/h	28,3 m³/h	23 m³/h	14,8 m³/h		
5 BAR		61,2 m³/h	28,3 m³/h	22,4 m³/h	1,8 m³/h		
5,5 BAR		63 m³/h	28,3 m³/h	16 m³/h	9,5 m³/h		
6 BAR		64,8 m³/h	28,3 m³/h	16 m³/h	3,7 m³/h		
1,5 BAR	5M	44,9 m³/h	3,4 m³/h				
2 BAR		49,2 m³/h	17,8 m³/h				
2,5 BAR		52,2 m³/h	24 m³/h	6,1 m³/h			
3 BAR		55,2 m³/h	24 m³/h	14,1 m³/h			
3,5 BAR		57,6 m³/h	24 m³/h	21,5 m³/h	5,5 m³/h		
4 BAR		60 m³/h	24 m³/h	21,5 m³/h	12,9 m³/h		
4,5 BAR		61,2 m³/h	24 m³/h	21,5 m³/h	7,4 m³/h		
5 BAR		62,4 m³/h	24 m³/h	20,6 m³/h	12,6 m³/h		
5,5 BAR		63,9 m³/h	24 m³/h	20,6 m³/h	7,7 m³/h		
6 BAR		65,4 m³/h	24 m³/h	14,5 m³/h			
1,5 BAR	7M	47,4 m³/h					
2 BAR		52,8 m³/h	11 m³/h				
2,5 BAR		55,8 m³/h	17,8 m³/h				
3 BAR		58,7 m³/h	18,5 m³/h	9,9 m³/h			
3,5 BAR		60,6 m³/h	20,6 m³/h	17,2 m³/h	3 m³/h		
4 BAR		62,4 m³/h	20,6 m³/h	18,5 m³/h	12,3 m³/h		
4,5 BAR		63 m³/h	20,6 m³/h	18,5 m³/h	5,8 m³/h		
5 BAR		63,6 m³/h	20,6 m³/h	18,5 m³/h	11,8 m³/h		
5,5 BAR		64,8 m³/h	20,6 m³/h	18,5 m³/h	6,2 m³/h		
6 BAR		66 m³/h	20,6 m³/h	14,1 m³/h			

4" x 4" x 5" LOW PRESSURE EJECTOR							
DRIVING WATER PRESSURE	SUCTION LIFT	DRIVING WATER CONSUMPTION	DELIVERY HEAD / SUCTION CAPACITY				
			5M	10M	15M	20M	
1,5 BAR	3M	70,5 m³/h	18,5 m³/h				SUCTION CAPACITY
2 BAR		77,4 m³/h	37,5 m³/h	6,2 m³/h			
2,5 BAR		80,7 m³/h	42,1 m³/h	22,2 m³/h			
3 BAR		84 m³/h	42,1 m³/h	34,5 m³/h	9,5 m³/h		
3,5 BAR		87 m³/h	42,1 m³/h	41,2 m³/h	23,4 m³/h		
4 BAR		93 m³/h	42,1 m³/h	33,8 m³/h	11,4 m³/h		
4,5 BAR		95,4 m³/h	42,1 m³/h	32 m³/h	24,6 m³/h		
5 BAR		97,8 m³/h	42,1 m³/h	32 m³/h	13,8 m³/h		
5,5 BAR		102,2 m³/h	42,1 m³/h	23,7 m³/h	4,6 m³/h		
6 BAR		106,5 m³/h	35 m³/h	17,5 m³/h			
1,5 BAR	5M	74,1 m³/h	15,4 m³/h				
2 BAR		80,4 m³/h	30,5 m³/h				
2,5 BAR		83,7 m³/h	35,7 m³/h	17,2 m³/h			
3 BAR		87 m³/h	35,7 m³/h	29,5 m³/h	6,8 m³/h		
3,5 BAR		90,8 m³/h	35,7 m³/h	34,5 m³/h	20,5 m³/h		
4 BAR		94,5 m³/h	35,7 m³/h	28,9 m³/h	7,7 m³/h		
4,5 BAR		96,8 m³/h	35,7 m³/h	31,4 m³/h	18,5 m³/h		
5 BAR		99 m³/h	35,7 m³/h	31,4 m³/h	10,8 m³/h		
5,5 BAR		103,5 m³/h	35,7 m³/h	21,2 m³/h			
6 BAR		108 m³/h	32,2 m³/h	14,8 m³/h			
1,5 BAR	7M	75,6 m³/h	11,7 m³/h				
2 BAR		81 m³/h	25,8 m³/h				
2,5 BAR		84,6 m³/h	28,3 m³/h	14,1 m³/h			
3 BAR		88,2 m³/h	28,3 m³/h	24 m³/h			
3,5 BAR		91,8 m³/h	28,3 m³/h	27 m³/h	18,5 m³/h		
4 BAR		95,4 m³/h	28,3 m³/h	26,8 m³/h	7,4 m³/h		
4,5 BAR		98,7 m³/h	28,3 m³/h	25,2 m³/h	17,5 m³/h		
5 BAR		102 m³/h	28,3 m³/h	25,2 m³/h	9,8 m³/h		
5,5 BAR		105,9 m³/h	28,3 m³/h	19 m³/h			
6 BAR		109,8 m³/h	28,3 m³/h	10,5 m³/h			

5" x 8" x 8" HIGH PRESSURE EJECTOR							
DRIVING WATER PRESSURE	SUCTION LIFT	DRIVING WATER CONSUMPTION	DELIVERY HEAD / SUCTION CAPACITY				SUCTION CAPACITY
			5M	10M	15M	20M	
3 BAR	3M	66 m³/h	141 m³/h				
4 BAR		72,6 m³/h	165 m³/h				
5 BAR		80,4 m³/h	169,2 m³/h	140 m³/h			
6 BAR		84 m³/h	204 m³/h	170 m³/h	50 m³/h		
7 BAR		85,8 m³/h	205,8 m³/h	170 m³/h	120 m³/h		
8 BAR		93 m³/h	207 m³/h	170 m³/h	150 m³/h		
3 BAR	5M	66 m³/h	68,4 m³/h				
4 BAR		72,6 m³/h	165 m³/h				
5 BAR		80,4 m³/h	191,2 m³/h	98,6 m³/h			
6 BAR		84 m³/h	191,2 m³/h	168,4 m³/h	32,2 m³/h		
7 BAR		85,8 m³/h	191,2 m³/h	191,2 m³/h	109,6 m³/h		
8 BAR		93 m³/h	191,2 m³/h	191,2 m³/h	173,7 m³/h		
3 BAR	7M	66 m³/h	23,5 m³/h				
4 BAR		72,6 m³/h	123,2 m³/h	5,8 m³/h			
5 BAR		80,4 m³/h	143,2 m³/h	58,7 m³/h			
6 BAR		84 m³/h	143,2 m³/h	133,8 m³/h			
7 BAR		85,8 m³/h	143,2 m³/h	143,2 m³/h	78,3 m³/h		
8 BAR		93 m³/h	143,2 m³/h	143,2 m³/h	136,7 m³/h		
3 BAR	9M	66 m³/h					
4 BAR		72,6 m³/h	70,5 m³/h				
5 BAR		80,4 m³/h	78,3 m³/h	12,6 m³/h			
6 BAR		84 m³/h	78,3 m³/h	70,6 m³/h			
7 BAR		85,8 m³/h	78,3 m³/h	78,3 m³/h	32,1 m³/h		
8 BAR		93 m³/h	78,3 m³/h	78,3 m³/h	78,3 m³/h		

İSU 1962 İSTANBUL For Information Only