

# I1 Polar Class Descriptions and Application

(August  
2006)  
(Rev.1  
Jan  
2007)  
(Corr.1  
Oct  
2007)  
(Rev.2  
Apr  
2016)

## I1.1 Application

I1.1.1 The IACS Unified Requirements for Polar ~~Class ships~~ Ships apply to ships constructed of steel and intended for independent navigation in ice-infested polar waters, ~~except ice breakers (see I1.1.3) \*~~.

I1.1.2 Ships that comply with the IACS Unified Requirements UR I2 and UR I3 can be considered for a Polar Class notation as listed in Table 1. The requirements of ~~IACS Unified Requirements UR I2 and UR I3~~ are in addition to the open water requirements of the Classification Society ~~each member society~~. If the hull and machinery are constructed such as to comply with the requirements of different Polar Classes ~~polar classes~~, then both the hull and machinery are to be assigned the lower of these classes in the Certificate of Classification ~~classification certificate~~. Compliance of the hull or machinery with the requirements of a higher polar class Polar Class is also to be indicated in the ~~classification certificate~~ Certificate of Classification or an appendix thereto equivalent.

I1.1.3 ~~Ships that are also to receive an "Icebreaker" notation may have additional requirements and are to receive special consideration.~~ Ships which are assigned a Polar Class notation and complying with the relevant requirements of UR I2 and UR I3 may be given the additional notation "Icebreaker". "Icebreaker" refers to any ship having an operational profile that includes escort or ice management functions, having powering and dimensions that allow it to undertake aggressive operations in ice-covered waters, ~~and having a class certificate endorsed with this notation.~~

I1.1.4 For ships which are assigned a Polar Class notation, the hull form and propulsion power are to be such that the ship can operate independently and at continuous speed in a representative ice condition, as defined in Table 1 for the corresponding Polar Class. For ships and ship-shaped units which are intentionally not designed to operate independently in ice, such operational intent or limitations are to be explicitly stated in the Certificate of Classification or equivalent.

I1.1.5 For ships which are assigned a Polar Class notation PC 1 through PC 5, bows with vertical sides, and bulbous bows are generally to be avoided. Bow angles should in general be within the range specified in I2.3.1 (v).

\* Note:

1. UR I1 applies to ships contracted for construction on or after 1 July 2007.
24. This Rev.1 of this UR is to be uniformly applied by IACS Societies on ships contracted for construction on and after 1 March 2008.
3. Rev.2 of this UR is to be uniformly implemented by IACS Societies on ships contracted for construction on and after 1 July 2017.
24. The "contracted for construction" date means the date on which the contract to build the vessel is signed between the prospective owner and the shipbuilder. For further details regarding the date of "contract for construction", refer to IACS Procedural Requirement (PR) No. 29.

# I1 (cont)

I1.1.6 For ships which are assigned a Polar Class notation PC 6 and PC 7, and are designed with a bow with vertical sides or bulbous bows, operational limitations (restricted from intentional ramming) in design conditions are to be stated in the Certificate of Classification or equivalent.

## I1.2 Polar Classes

I1.2.1 The Polar Class (PC) notations and descriptions are given in Table 1. It is the responsibility of the Owner to select an appropriate Polar Class. The descriptions in Table 1 are intended to guide owners, designers and administrations in selecting an appropriate Polar Class to match the requirements for the ship with its intended voyage or service.

I1.2.2 The Polar Class notation is used throughout the IACS Unified Requirements for Polar Class ships to convey the differences between classes with respect to operational capability and strength.

**Table 1 - Polar Class Descriptions descriptions**

Polar Class	Ice Description <u>descriptions</u> (based on WMO Sea Ice Nomenclature)
PC 1	Year-round operation in all <del>Polar</del> <u>polar</u> waters
PC 2	Year-round operation in moderate multi-year ice conditions
PC 3	Year-round operation in second-year ice which may include multi-year ice inclusions.
PC 4	Year-round operation in thick first-year ice which may include old ice inclusions
PC 5	Year-round operation in medium first-year ice which may include old ice inclusions
PC 6	Summer/autumn operation in medium first-year ice which may include old ice inclusions
PC 7	Summer/autumn operation in thin first-year ice which may include old ice inclusions

## I1.3 Upper and Lower Ice Waterlines

I1.3.1 The upper and lower ice waterlines upon which the design of the ~~vessel~~ ship has been based is to be indicated in the ~~classification certificate~~ Certificate of Classification. The upper ice waterline (UIWL) is to be defined by the maximum draughts fore, amidships and aft. The lower ice waterline (LIWL) is to be defined by the minimum draughts fore, amidships and aft.

I1.3.2 The lower ice waterline is to be determined with due regard to the ~~vessel's~~ ship's ice-going capability in the ballast loading conditions (~~e.g. propeller submergence~~). The propeller is to be fully submerged at the lower ice waterline.

End of Document
-----------------