

TÜRK LOYDU



TL-I HSC Interpretations of the HSC Code July 2022

These interpretations are prepared by embedding related IACS Unified Interpretations. In order to have consistency, the numbering of the interpretations are kept as the same with related IACS Unified Interpretations.

Unless otherwise specified, these Rules apply according to the implementation dates as defined in each interpretation. See Rule Change Summary on TL website for revision details.

This latest edition incorporates all rule changes.

"General Terms and Conditions" of the respective latest edition will be applicable (see Rules for Classification and Surveys).

If there is a difference between the rules in English and in Turkish, the rule in English is to be considered as valid. This publication is available in print and electronic pdf version. Once downloaded, this document will become UNCONTROLLED. Please check the website below for the valid version.

<http://www.turkloydu.org>

All rights are reserved by Türk Loydu, and content may not be reproduced, disseminated, published, or transferred in any form or by any means, except with the prior written permission of **TL**.

TÜRK LOYDU

Head Office Postane Mah. Tersaneler Cad. No:26 Tuzla 34944 İSTANBUL / TÜRKİYE

Tel : (90-216) 581 37 00

Fax : (90-216) 581 38 00

E-mail : info@turkloydu.org

<http://www.turkloydu.org>

Regional Offices

Ankara Eskişehir Yolu Mustafa Kemal Mah. 2159. Sokak No : 6/4 Çankaya - ANKARA / TÜRKİYE

Tel : (90-312) 219 56 34

Fax : (90-312) 219 68 25

E-mail : ankara@turkloydu.org

İzmir Atatürk Cad. No :378 K.4 D.402 Kavalalılar Apt. 35220 Alsancak - İZMİR / TÜRKİYE

Tel : (90-232) 464 29 88

Fax : (90-232) 464 87 51

E-mail : izmir@turkloydu.org

Adana Çınarlı Mah. Atatürk Cad. Aziz Naci İş Merkezi No:5 K.1 D.2 Seyhan - ADANA / TÜRKİYE

Tel : (90- 322) 363 30 12

Fax : (90- 322) 363 30 19

E-mail : adana@turkloydu.org

CONTENTS

~~TL-I HSC1~~ — Cupboard as part of the space Reg. 7.3.1

~~TL-I HSC2~~ — Classification of stairways Reg. 7.3.1.3

~~TL-I HSC3~~ — Public spaces extending over 2 decks Reg. 7.4.4.1

~~TL-I HSC4~~ — Ventilation grille in toilet entrance door Table 7.4-1

| TL-I HSC6 Protection of propeller shafts Reg. 9.8

TL-I HSC 1 Cupboard as part of the space

Deleted July 2022

Note: TL-I HSC 1 with implementation date for deletion on 01 July 2022.

TL-I HSC2 Classification of stairways

Deleted July 2022

Note: TL-I HSC 2 with implementation date for deletion on 01 July 2022.

TL-I HSC3 Public spaces extending over 2 decks

Deleted July 2022

Note: TL-I HSC 3 with implementation date for deletion on 01 July 2022.

HSC4 Ventilation Grille in Toilet Entrance Door

Deleted July 2022

Note: TL-I HSC 4 with implementation date for deletion on 01 July 2022.

TL-I HSC5 Aluminium Lube Oil Sump or Tank

Req. 7.5.2

Deleted in March 2021.

TL-I HSC6 Protection of Propeller Shafts

Interpretation of paragraph 9.8 of the High Speed Craft Code 2000, Chapter 9, part B, Section 8

HSC Code Paragraph 9.8 reads as follows:

Means for return to a port of refuge for category B craft

Category B craft shall be capable of maintaining the essential machinery and control so that, in the event of a fire or other casualties in any one compartment on board, the craft can return to a port of refuge under its own power.

Interpretation

On monohulls, propeller shaft and bearings of at least one main engine, when passing through the aft machinery space, are to be protected as follows:

- steel shaft bearings by water spray,
- shafts made of composite material (FRP), either by
 - passive fire protection for 60 minutes duration, or
 - a water spray system and able to transmit the full torque of the propulsion engine after a standard fire test of 7 minutes.

Note:

1. This Interpretation is to be implemented on ships constructed on or after 1 July 2022.