

---

# **TÜRK LOYDU**



**Interpretations of the**

**International Convention on  
Load Lines, 1966**

---

For UI LLs please click [here](#).

## CONTENTS

LL1	Application (Article (4))	Rev.1 July 2008
LL2	Depth for freeboard (Regulation 3(6))	Rev.1 July 2008
LL3	Superstructure (Regulation 3(10)(b))	Rev.1 July 2008
LL4	Details of marking (Regulation 8)	Rev.1 July 2008
LL5	Doors (Regulation 12)	Rev.1 July 2008
LL6	Hatchways closed by weather tight covers of steel or other equivalent material fitted with gaskets and clamping devices (Regulations 16 and 27(7)(c))	Rev.3 July 2008
LL7	Machinery space openings (Regulations 17(1), 26(1), 27(8) and 27(9))	Rev.2 July 2008
LL8	Miscellaneous openings in freeboard and superstructure decks (Regulation 18(2) and 18(3))	Rev.2 Apr 2021
LL9	Deleted	
LL10	Air pipes (Regulation 20)	Rev.2 Nov 2020
LL11	Scuppers, inlets and discharges (Regulation 22(1))	Rev.4 July 2022
LL12	Side scuttles (Regulation 23)	Del July 2008
LL13	Freeing ports (Regulation 24(1) and 24(5))	Rev.1 July 2008

---

LL14	Protection of the crew (Regulation 25(2))	Corr.1 Oct 2015
LL15	Length of superstructure (Regulation 34(1) and (2))	Rev.4 Nov 2021
LL16	Sheer	Rev.2 Jan 2023
LL17	Minimum bow height (Regulation 39(1) and (2))	Rev.1 July 2008
LL18	Freeboard tables (Regulation 28)	Rev.1 July 2008
LL19	Form of certificates (Article 18)	Rev.1 July 2008
LL20	Hatch beams and cover stiffeners of variable cross section (Regulations 15(4), 15(5), 15(6), 15(7) and 16)	Rev.1 July 2008
LL21	Cargo ports or similar openings below the uppermost load line (Regulation 21(2))	Rev.1 July 2008
LL22	Position of the inboard end of discharges when timber freeboard is assigned (Regulation 22(1))	Rev.1 July 2008
LL23	Freeing arrangement (Regulations 26(5), 27(7) and 36(1)(e))	Rev.1 July 2008
LL24	Negative depth correction (Regulation 31(3))	Rev.1 July 2008
LL25	Effective length of raised quarterdeck (Regulation 35(4))	Rev.1 July 2008
LL26	Continuous hatchways as trunks (Regulation 36)	Rev.2 July 2008

---

LL27	Less than standard hatch coamings on trunks of less than standard height (Regulation 36(4))	Rev.1 July 2008
LL28	Deduction for superstructures and trunks (Regulations 37 and 38(12))	Rev.1 July 2008
LL29	Sheer credit for superimposed superstructures (Regulation 38(5), 38(7) and 38(12))	Rev.2 July 2008
LL30	Sheer allowance for excess height of superstructure (Regulations 38(7) and 38(12))	Rev.1 July 2008
LL31	Deduction for excess sheer (Regulation 38(15))	Rev.1 July 2008
LL32	Special requirements for vehicle ferries, ro-ro ships and other ships of similar type	withdrawn Oct 2007
LL33	Timber freeboards for ships having reduced Type B freeboards assigned (Regulations 45(2) and 45(3))	Rev.1 July 2008
LL34	Freeboard for lighters and barges (Regulation 27(11) of 1966 ILLC)	Corr.1 July 2008
LL35	Stowage of timber deck cargo on ships having timber freeboards assigned (Regulations 44 and 45)	Del June 2021
LL36	Minimum wall thickness of pipes (Regulations 19, 20 and 22)	Rev.2 July 2008
LL37	Superstructures with sloping end bulkheads (Regulations 34, 35 and 38(12))	Rev.2 July 2008
LL38	Bow height (Regulation 39(2))	Rev.2 July 2008
LL39	Structure of a lower freeboard deck (Regulation 3(9))	Rev.1 July 2008

---

LL40	Security of hatch covers (Regulation 15(13))	Rev.2 July 2008
LL41	Trunks (Regulations 29, 36 and 38)	Rev.1 July 2008
LL42	Access openings on barges (Regulation 27(11))	Rev.1 July 2008
LL43	Minimum bow height (Regulation 39)	Rev.1 July 2008
LL44	Freeing ports (Regulation 24(3))	Rev.1 July 2008
LL45	Presentation of stability data (Regulation 10(2))	Rev.2 Aug 2008
LL46	Protection of openings in raised quarterdecks (Regulation 18(2) and Interpretation LL8)	Rev.3 July 2008
LL47	Guard rails	Rev.3 July 2008
LL48	Moulded depth (Regulation 3(5)(c) and 3(9)) and freeboard calculation (Regulation 40(1))	Rev.2 July 2008
LL49	Air pipe closing devices (Regulation 20)	Rev.1 July 2008
LL50	Protection of crew (1966 Load Line Convention Regulation 25(4), 26(2) and 27(7), 1988 Protocol Regulation 25(4), 26(2) and 27(8) and SOLAS II-1/3-3)	Rev.6 June 2021
LL51	Freeboards greater than minimum (Regulation 2(5))	Rev.2 July 2008
LL52	Weathertight closing appliances for ventilators (Regulation 19(4))	Rev.1 July 2008
LL53	Treatment of moonpools	Rev.1 July 2008

---

LL54	Effective length of superstructures (Regulation 35(3))	Rev.1 July 2008
LL55	Least moulded depth for a ship with a rake of keel (Regulation 3(1))	Corr.1 Dec 2021
LL56	Block coefficient of a pontoon (Regulation 3(7))	Rev.1 July 2008
LL57	Block coefficient of a multi-hull craft (Regulation 3(7))	Rev.1 July 2008
LL58	Machinery space and emergency generator room ventilator coaming heights (Regulations 17(2), 19(3) and 19(4))	Rev.1 July 2008
LL59	Cargo manifold gutter bars - freeing arrangements and intact stability (ICLL Regulation 24(1)(g) and Regulation 26)	Corr.1 Feb 2022
LL60	Freeing ports in way of wells in combination with open superstructures (Regulation 24(1) and 24(4))	Rev.1 July 2008
LL61	Method of correction for the effect of free surface of liquids in tanks	Del Nov 2022
LL62	Side scuttles, windows and skylights	Corr.2 June 2024
LL63	Treatment of steps and recesses in transverse subdivision bulkheads: IMO Res. A.320 (IX), paragraphs 12(d) and 12(e), and Regulation 27(12)(d) and (e), Revised 1988 ICLL (MSC.143(77))	Rev.2 July 2008
LL64	Non-weathertight hatch covers above superstructure deck (Load Line Convention 1966 Regulations 2(5) and 14(2))	Rev.5 July 2008
LL65	Ships with assigned or reassigned reduced freeboards and intended to carry deck cargo	Rev.3 Feb 2021
LL66	Hatch cover stress/deflection calculation	

---

---

	(Res. MSC.143(77), 2005 LL Protocol Regulation 16(5)(a) & (b))	Oct 2003
LL67	Endorsement of certificates with the date of completion of the survey on which they are based	Rev.1 Nov 2005
LL68	Position of freeboard deck on float on/float off barge carriers (Regulation 3(9))	Rev.1 July 2008
LL69	Interpretation to 1966 ICLL Reg. 27	Rev.1 July 2008
LL70	Corrosion margin for hatch cover design Reg. 16 (5)(d), amendments to the Protocol of 1988 relating to the International Convention on Load Lines, 1966 (Res. MSC. 143(77))	Jan 2005
LL71	Similar stage of construction (1966 ILLC, Article 2(6)) (amended LL Protocol 1988, Regulation 2, paragraphs (7) and (8))	Rev.1 July 2008
LL72	Interpretation to ICLL Regulation 27	Sept 2005
LL73		
LL74	Measurement of distances	Aug 2008
LL75	Permeability of store space in the damage stability calculation (Regulation 27(3) & (8.d))	Rev.1 Mar 2009
LL76	Initial statutory surveys at new construction	Deleted Jun 2016
LL77	Application of load line requirements to conversions of single-hull oil tankers to double-hull oil tankers or bulk carriers	Corr.1 Dec 2021
LL78	Keel laying date for fibre-reinforced plastic (FRP) craft	Corr.1 Jan 2014

---

LL79 Continuous hatchways  
(Regulation 36(6))

July 2014

LL80 Unprotected openings

Rev.1 June 2022

LL81 Deduction for superstructures and trunks

May 2022